

	Application No.	Applicant(s)
Notice of Allowability	10/743,346	JONAS ET AL.
	Examiner	Art Unit
	Boris Benenson	2836
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 4/17/2006.		
2. The allowed claim(s) is/are <u>1-30</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	e

Art Unit: 2836

Detailed Actions

1. Amendment received on 4/17/2006 is entered.

Claims 1, 3, 15, and 18 are amended.

New Claims 21-30 are entered.

Claims 1-30 are pending in the Application.

Response to the arguments

2. Applicants argue that previously indicated rejection of Claims 1-3, and 5-20 under U.S.C. 102 § 102 (b) as anticipated by Murray (6,687,110) is improper for currently amended Claims 1 and 15. The argument is convincing. The rejection is withdrawn.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with attorney Bruce Arkins on 6/20/2006.

3. In Claim 15 on Line 8 replace "a utility" with --a central utility control system--.

Art Unit: 2836

Allowable Subject Matter

4. Claims 1-30 are allowed.

The following is an examiner's statement of reasons for allowance:

- 5. Independent Claims 1 and 21 are allowable because none of the prior art of record disclose a system for controlling and monitoring a power distribution system comprising a switchgear mechanism for controlling connection to the power distributing system and electronic controls embedded within the switchgear housing unit into a single housing unit for monitoring and controlling the switchgear mechanism wherein the electronic controls include a digital interface configured to communicate control information for controlling the switchgear mechanism from the housing unit to another location in combination with the other claim limitations.
- 6. Independent Claim 15 is allowable because none of the prior art of record disclose a method for controlling and monitoring a power distribution system comprising steps of communicating via a long range communicating device of an electronic controls with a central utility control system and via a short range

Art Unit: 2836

communicating device with operator interface in combination with the other claim limitations.

Claims 2-14, 16-20, and 22-30 are allowable, because they are dependent on allowable claims.

Comments to reasons for allowance

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee.

Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Boris Benenson whose telephone number is (571) 272-2048. The examiner can normally be reached on M-F (8:20-6:00) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (571) 272-2800 ext 36. The fax phone number for the

Art Unit: 2836

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Boris Benenson Examiner Art Unit 2836

B.B.

STEPHEN W. JACKSON PRIMARY EXAMINER

Hephen Wackson